

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently Amended) A method for maintaining scroll position in a web user interface, comprising:

using a JavaScript to listen for an event triggered in response to a browser unloading the web user interface;

translating a selected scroll position in the web user interface to a pair of scroll coordinates in response to operation of a set scroll position function;

operating the set scroll position function in response to a right click action in a scrollbar of the web user interface to present a menu including a set position option;

receiving a browser request for a URL associated with the web user interface;

generating a script for resetting the web user interface to the selected scroll position in response to the browser request containing the pair of scroll coordinates;

adding the script to a response to the browser request;

automatically scrolling a browser to the selected scroll position in response to the script; and

advancing the web user interface to the selected scroll position in response to each occurrence of ~~an~~the event including at least one of opening, reloading or refreshing the web user interface or operating a hyperlink in the web user interface~~interface~~.

wherein in response to the operation of the set scroll position function setting a vertical scroll position a horizontal scroll position is automatically set and in response to the set scroll position function setting a horizontal scroll position the vertical scroll position is automatically set.

2. (Original) The method of claim 1, further comprising setting at least a vertical scroll position and a horizontal scroll position in response to operation of the set scroll position function.
3. (Canceled)
4. (Original) The method of claim 1, further comprising storing the pair of scroll coordinates in association with a universal resource locator (URL) for the web user interface.
5. (Previously Presented) The method of claim 1, further comprising operating the set scroll position function in response to operating a button in the web user interface.
6. (Canceled)
7. (Currently Amended) The method of ~~claim 6~~claim 1, further comprising using a JavaScript to ~~listen for the unload event and to~~ translate the selected scroll position to the pair of scroll coordinates.
8. (Canceled)
9. (Original) The method of claim 1, further comprising operating the set scroll position function in association with a selected portlet in a portal environment to present the selected portlet at a same selected scroll position each time the portal environment is entered, refreshed, reloaded or another portlet or hyperlink is activated in the portal environment.
10. (Currently Amended) A method for maintaining scroll position in a web user interface, comprising:

using a JavaScript to listen for an event triggered in response to a browser unloading the web user interface;

appending a pair of scroll coordinates to a URL associated with the web user interface in response to operation of a set scroll position function in the browser;

receiving a browser request for a the URL associated with the web user interface;

generating a script for resetting a the browser to a preset scroll position in response to the browser request containing a pair of scroll coordinates;

adding the script to a response to the browser request; and

automatically scrolling the browser to the preset scroll position in response to the ~~script~~script.

wherein in response to the operation of the set scroll position function setting a vertical scroll position a horizontal scroll position is automatically set and in response to the set scroll position function setting a horizontal scroll position the vertical scroll position is automatically set.

11. (Original) The method of claim 10, further comprising forming the pair of scroll coordinates by translating the preset scroll position in the web user interface.

12. (Currently Amended) The method of claim 10, further comprising:

listening for an the unload event; and

appending the pair of scroll coordinates to the URL in response to detecting the unload event.

13. (Original) The method of claim 10, further comprising translating the preset scroll position to the pair of scroll coordinates in response to operation of a set scroll position function in the browser.

14. (Canceled)

15. (Currently Amended) A system for maintaining scroll position in a web user interface, comprising:

a processor;

a set scroll position function operable on the processor, wherein the set scroll position function includes:

a data structure to translate a selected scroll position in the web user interface to a pair of scroll coordinates in response to operation of the set scroll position function; and

a data structure to advance the web user interface to the selected scroll position in response to each occurrence of an event including at least one of opening, reloading or refreshing the web user interface or operation of a hyperlink in the web user interface

wherein the set scroll data function comprises a JavaScript to listen for an unload event and to translate the scroll position to the pair of scroll ~~coordinates~~coordinates.

wherein in response to the operation of the set scroll position function setting a vertical scroll position a horizontal scroll position is automatically set and in response to the set scroll position function setting a horizontal scroll position the vertical scroll position is automatically set.

16. (Currently Amended) The system of claim 15, further comprising a data structure to set at least a the vertical scroll position and a the horizontal scroll position in response to operation of the set scroll position function.

17. (Original) The system of claim 15, further comprising a storage device to store the pair of scroll coordinates in association with a URL for the web user interface.

18. (Original) The system of claim 15, wherein the set scroll position function is operated in response to one of a right clicking action in a scrollbar of the web user interface to present a menu including a set position option or operation of a button in the web user interface.

19. (Canceled)

20. (Currently Amended) A system for maintaining scroll position in a web user interface, comprising:

a server;

a data structure using a JavaScript to listen for an unload event;

a data structure to append the pair of scroll coordinates to a URL in response to operation of a set scroll position function in a browser;

a data structure operable on the server to receive a browser request for a the URL associated with the web user interface;

a data structure operable on the server to generate a script for resetting a browser to a preset scroll position in response to the browser request containing a pair of scroll coordinates; and

a data structure operable on the server to add the script to a response to the browser request request.

wherein in response to the operation of the set scroll position function setting a vertical scroll position a horizontal scroll position is automatically set and in response to the set scroll position function setting a horizontal scroll position the vertical scroll position is automatically set.

21. (Original) The system of claim 20, further comprising a data structure to automatically scroll the browser to the preset scroll position in response to the script.

22. (Currently Amended) The system of claim 20, further comprising:

~~a data structure to listen for an unload event; and~~

a data structure to append the pair of scroll coordinates to the URL in response to detecting the unload event.

23. (Original) The system of claim 20, further comprising a data structure to translate the preset scroll position to the pair of scroll coordinates in response to operation of a the set scroll position function.

24. (Canceled)

25. (Currently Amended) A method of making a system for maintaining scroll position in a web user interface, comprising:

providing a processor;

providing a data structure using a JavaScript to listen for an unload event;

providing a data structure to append the pair of scroll coordinates to a URL corresponding to the web user interface in response to detecting the unload event;

providing a set scroll position function operable on the processor, wherein providing the set scroll position function includes:

providing a data structure to translate a selected scroll position in the web user interface to a pair of scroll coordinates in response to operation of the set scroll position function;

providing a data structure to advance the web user interface to the selected scroll position in response to each occurrence of an event including at least one of opening, reloading or refreshing the web user interface or operation of a hyperlink in the web user interface;

providing a server;

providing a data structure operable on the server to receive a browser request for a URL associated with the web user interface;

providing a data structure operable on the server to generate a script for resetting a browser to the selected scroll position in response to the browser request containing a pair of scroll coordinates; and

providing a data structure operable on the server to add the script to a response to the browser request.

wherein in response to the operation of the set scroll position function setting a vertical scroll position a horizontal scroll position is automatically set and in response to the set scroll position function setting a horizontal scroll position the vertical scroll position is automatically set.

26. (Canceled)

27. (Previously Amended) The method of claim 25, further comprising providing a data structure to automatically scroll the browser to the selected scroll position in response to the script.

28. (Canceled)

29. (Original) The method of claim 25, further comprising providing a data structure to append the pair of scroll coordinates to a URL corresponding to the web user interface in response to operation of a set scroll position function in a browser.

30. (Currently Amended) A device comprising:  
at least one input/output device;  
a storage device; and  
a processor, the processor providing a web user interface, the web user interface comprising:  
a scroll feature to scroll the web user interface to a selected position in at least a horizontal or a vertical direction;  
a set scroll position feature displayable in the web user interface to set or lock the selected scroll position; and  
a preset scroll position feature, the preset scroll position feature:  
receiving a browser request for a URL associated with the web user interface;

generating a script for resetting a browser to a preset scroll position in response to the browser request containing a pair of scroll coordinates;

adding the script to a response to the browser request; and

automatically scrolling the browser to the preset scroll position in response to the ~~script~~script.

wherein in response to the operation of the set scroll position feature setting a vertical scroll position a horizontal scroll position is automatically set and in response to the set scroll position feature setting a horizontal scroll position the vertical scroll position is automatically set.

31. (Previously Amended) The device of claim 30, wherein the set scroll position feature comprises a set scroll position option included in a context menu.

32. (Previously Amended) The device of claim 31, wherein the context menu is displayed in response to performing a right-clicking action on a scrollbar of a browser.

33. (Previously Amended) The device of claim 30, wherein the set scroll position feature comprises a floating button.

34. (Previously Amended) The device of claim 30, wherein operation of the set scroll feature causes the selected scroll position in the web user interface to be translated to a pair of scroll coordinates.

35. (Previously Amended) The device of claim 30, wherein operation of the set scroll position feature causes a browser to advance the web user interface to the selected scroll position in response to an occurrence of each event including at least one of opening, reloading or refreshing the web user interface or operating a hyperlink in the web user interface.



36. (Currently Amended) A computer-readable medium comprising one from the group consisting of an electronic medium, a magnetic medium, an electromagnetic medium and a semiconductor medium, having computer executable instructions stored therein, the instructions when executed causing a processing device to perform:

translating a selected scroll position in the web user interface to a pair of scroll coordinates in response to operation of a set scroll position function;

advancing the web user interface to the selected scroll position in response to each occurrence of an event including at least one of opening, reloading or refreshing the web user interface or operating a hyperlink in the web user interface;

receiving a browser request for a URL associated with the web user interface;

generating a script for resetting the web user interface to the selected scroll position in response to the browser request containing the pair of scroll coordinates;

adding the script to a response to the browser request; and

automatically scrolling a browser to the selected scroll position in response to the scriptscript,

wherein in response to the operation of the set scroll position function setting a vertical scroll position a horizontal scroll position is automatically set and in response to the set scroll position function settting a horizontal scroll position the vertical scroll position is automatically set.

37. (Original) The computer-readable medium having computer executable instructions for performing the method of claim 36, further comprising:

setting either a vertical or horizontal scroll position in response to operation of the set scroll position function; and

automatically setting the other of the vertical or horizontal scroll position in response to setting either the vertical or horizontal scroll position.

38. (Original) The computer-readable medium having computer executable instructions for performing the method of claim 36, further comprising storing the pair of

scroll coordinates in association with a universal resource locator (URL) for the web user interface.

39. (Original) The computer-readable medium having computer executable instructions for performing the method of claim 36, further comprising operating the set scroll position function in response to one of a right click action in a scrollbar of the web user interface to present a menu including a set position option or operating a button in the web user interface.

40. (Original) The computer-readable medium having computer executable instructions for performing the method of claim 36, further comprising listening for an unload event triggered in response to a browser unloading the web user interface.

41. (Canceled)